ANNUAL INDEX

References to Technical Papers Published in Journal of Petroleum Technology and Society of Petroleum Engineers Journal during 1964

A

ABRASIVE JETTING: hydraulic: chip removal by, SPEJ Mar., 21

ACOUSTIC VELOCITY LOGGING: effects of pressure and fluid saturation on attenuation of elastic waves in sands, JPT Feb., 189

ADDITIVES: fluid loss: effect of fracturing fluid velocity on performance, JPT May, 555
hydroxyl factor in shale control, JPT Oct., 1177
use in cementing geothermal steam wells, JPT Dec., 1425

ALCOHOL FLOODING: mathematical theory for displacement of oil and water, SPEJ Sept., 250
slug process: investigation of miscible displacements of aqueous and oleic phases from porous media, SPEJ March, 37

ALGER, R. P., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411

ANISOTROPIC RESERVOIRS: directional permeability of heterogeneous porous media, SPEJ June, 124; discussion, SPEJ Dec., 363

API: standards for cementing geothermal steam wells, JPT Dec., 1425

AQUIFERS: determination of influence functions from field data, JPT Dec., 1417
linear: behavior of, JPT May, 561
rapid methods for estimating reservoir compressibilities, JPT Apr., 447

AREAL SWEEP EFFICIENCY: behavior in a nine-spot injection pattern, JPT Feb., 199

ATWOOD, D. K.: *Restoration of Permeability to Water-Damaged Cores*, JPT Dec., 1405

B

BACTERIA: effect on sandstone permeability, JPT July, 805

BARHAM, R. H. and NABOR, G. W.: *Linear Aquifer Behavior*, JPT May, 561

BENNETT, E. O., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805

BERGAN, R. A., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319

BERNARD, G. G. and HOLM, L. W.: *Effect of Foam on Permeability of Porous Media to Gas*, SPEJ Sept., 267

BITS: chip removal by hydraulic jet, SPEJ Mar., 21
crossflow and impact under jetting, JPT Nov., 1299
full-scale experiments on jets in impermeable rock drilling, JPT Mar., 329

BLAIR, P. M.: *Calculation of Oil Displacement by Countercurrent Water Imbibition*, SPEJ Sept., 195

BOATMAN, E. M., et al: *Prediction of Relative Permeability Characteristics of Intergranular Reservoir Rocks from Electrical Resistivity Measurements*, JPT May, 564

BOLEY, D. W., et al: *Aids to Forecasting the Performance of Water Floods*, JPT Sept., 1076

BOUNDARY CONDITIONS: influence of surface features in salt dissolution process, SPEJ Sept., 275

BOUNDED RESERVOIR: approximate method for non-Darcy radial gas flow, SPEJ June, 96

BRAY, B. G., et al: *Calculating Viscosities of Reservoir Fluids from Their Compositions*, JPT Oct., 1171

BROWN, K. E. and HAGEDORN, A. R.: *The Effect of Liquid Viscosity in Two-Phase Vertical Flow*, JPT Feb., 203

BROWNING, W. C.: *The Hydroxyl Factor in Shale Control*, JPT Oct., 1177

BUCKLEY-LEVERETT THEORY: calculation for carbonated water flooding, SPEJ Mar., 9; discussion, 18
instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
use in applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87

C

CALIFORNIA: San Joaquin Valley: calculation method for carbonated water flooding, SPEJ Mar., 9; discussion, 18

CANADA: Virginia Hills reservoir: application of material balance as equation of straight line, JPT July, 815

CARBON DIOXIDE: water flooding: calculation method for, SPEJ Mar., 9; discussion, 18

CASING: behavior when subjected to salt loading, JPT Sept., 1069

CAUDLE, B. H., et al: *Areal Sweepout Behavior in a Nine-Spot Injection Pattern*, JPT Feb., 199
Model Studies of the Inverted Nine-Spot Injection Pattern, JPT July, 801

CEMENTING: geothermal steam wells, JPT, Dec., 1425

CHEATHAM, J. B., Jr., and MCEVER, J. W.: *Behavior of Casing Subjected to Salt Loading*, JPT Sept., 1069

CHEATHAM, J. B., Jr. and YARBOROUGH, J. G.: *Chip Removal by a Hydraulic Jet*, SPEJ Mar., 21

CHIERICI, G. L., et al: *A Systematic Study of Gas and Water Coning by Potentiometric Models*, JPT Aug., 923

CHROMATOGRAPHY: transport in hexylamine: effect on displacement of oil by water in porous media, SPEJ Sept., 231
rapid analysis of condensate systems, JPT Apr., 435

CHU, C.: *The Vaporization-Condensation Phenomenon in a Linear Heat Wave*, SPEJ June, 85

CIUCCI, G. M., et al: *A Systematic Study of Gas and Water Coning by Potentiometric Models*, JPT Aug., 923

CLARK, C. R., et al: *Calculating Viscosities of Reservoir Fluids From Their Compositions*, JPT Oct., 1171

CLAYS: blocking of permeability: influence of chemical composition of water, JPT April, 441
hydroxyl factor control, JPT Oct., 1177
restoration of permeability to water-damaged cores, JPT Dec., 1405

CLEGG, M. W. and ROWAN, G.: *An Approximate Method for Non-Darcy Radial Gas Flow*, SPEJ June, 96

COATS, K. H., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417

COATS, K. H. and SMITH, B. D.: *Dead-End Pore Volume and Dispersion in Porous Media*, SPEJ Mar., 73; discussion, Sept., 282

COMPOSITION: chemical, water: influence on clay blocking of permeability, JPT April, 441
use in calculating viscosities of reservoir fluids, JPT Oct., 1171

COMPRESSIBILITY: reservoir: rapid methods for estimating, JPT April, 447

COMPUTERS: comparison with approximate method for non-Darcy radial gas flow, SPEJ June, 96
generalized program: aids to forecasting performance of water floods, JPT Sept., 1076
use in numerical method for computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171

CONDENSATES: integration of partial differential equation for transient linear flow of fluids in porous structures,

SPEJ Dec., 291
rapid analysis by chromatography, JPT Apr., 435
COOPER, H. E., JR., et al: *Areal Sweepout Behavior in a Nine-Spot Injection Pattern*, JPT Feb. 199
CORES: water damaged: restoration of permeability, JPT Dec. 1405
CORRELATIONS: between immobile non-wetting phase and saturation of wetting phase, SPEJ Mar., 49
viscosity of light paraffin hydrocarbons and their mixtures in liquid and gaseous regions, JPT June, 679
COSGROVE, J. J. and WARREN, J. E.: *Prediction of Waterflood Behavior in a Stratified System*, SPEJ June, 149
CRAWFORD, P. B. and MIESCH, E. P.: *Effect of Proximity of Permeable and Impermeable Lenses on Well Performance*, SPEJ Dec., 285
CRITICAL POINT: conditions up to: prediction of *K*-values for ternary hydrocarbon systems, SPEJ Dec., 329
CRITICAL PROPERTIES: cricondentherm and cricondenbar pressures of multicomponent hydrocarbon mixtures, SPEJ Sept., 240
CROSSFLOW: under jet bits, JPT Nov., 1299

D

DE NEVERS, N.: *A Calculation Method for Carbonated Water Flooding*, SPEJ Mar., 9; discussion, 18
DENSITY LOGGING: dual spacing formation density log, JPT Dec., 1411
DISPERSION: macroscopic, SPEJ Sept., 215
in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
DISPLACEMENT EFFICIENCY: prediction of waterflood behavior in a stratified system, SPEJ June, 149
DISPLACEMENT MECHANISM: *See also* Miscible Displacement
applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
oil: calculation by counter-current water imbibition, SPEJ Sept., 195
oil and water by alcohol: mathematical theory, SPEJ Sept., 250
water-oil: effect of chromatographic transport in hexylamine in porous media, SPEJ Sept., 231
DOLLARHIDE, F. E. and HALL, C. D., JR.: *Effects of Fracturing Fluid Velocity on Fluid-Loss Agent Performance*, JPT May, 555
DOUGHERTY, E. W. and SHELDON, J. W.: *A Numerical Method for Computing the Dynamical Behavior of Fluid-Fluid Interfaces in Permeable Media*, SPEJ June, 158
The Use of Fluid-Fluid Interfaces to Predict the Behavior of Oil Recovery Processes, SPEJ June, 171
DRAG REDUCTION: characteristics: solutions of macromolecules in turbulent pipe flow, SPEJ Sept., 203
DREWS, W. P., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417
DRILLING: chip removal by a hydraulic jet, SPEJ Mar., 21
crossflow and impact under jet bits, JPT Nov., 1299
full-scale experiments on jets in impermeable rock, JPT Mar., 329
offshore: effects of drilling vessel pitch or roll on kelly and drill pipe fatigue, JPT Jan., 77
DRILLING FLUIDS: effects of fracturing fluid velocity on fluid-loss agent performance, JPT May, 555
hydroxyl factor in shale control, JPT Oct., 1177
DROSCHAK, D. M., et al: *Effects of Pressure and Fluid Saturation on the Attenuation of Elastic Waves in Sand*, JPT Feb., 189
DUMORE, J. M.: *Stability Consideration in Downward Miscible Displacements*, SPEJ Dec., 356
DURIE, R. W. and JESSEN, F. W.: *The Influence of Surface Features in the Salt Dissolution Process*, SPEJ Sept., 275
Mechanism of the Dissolution of Salt in the Formation of Underground Salt Cavities, SPEJ June, 183

E

EAKIN, B. E. and LEE, A. L.: *Gas-Phase Viscosity of Hydrocarbon Mixtures*, SPEJ Sept., 247
EILERTS, C. K.: *Integration of Partial Differential Equation for Transient Linear Flow of Gas-Condensate Fluids in Porous Structures*, SPEJ Dec., 291
ENGINEERING: application in non-Newtonian fluid systems SPEJ Mar., 56
EQUILIBRIUM RATIOS: prediction for ternary hydrocarbon systems; conditions up to critical point, SPEJ Dec., 329
EQUIPMENT: effects of drilling vessel pitch or roll on kelly and drill pipe fatigue, JPT Jan., 77
EVALUATION: graphical techniques: stabilizer charged gas lift valve for multiple-phase flow, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
neutron lifetime log, JPT Mar., 319

F

FEENSTRA, R. and VAN LEEUWEN, J. J. M.: *Full-Scale Experiments on Jets in Impermeable Rock Drilling*, JPT Mar., 329
FIELD CASE HISTORY: *See* Field Tests
FIELD TESTS: determination of aquifer influence functions, JPT Dec., 1417
effect of liquid viscosity in two-phase vertical flow, JPT, Feb., 203
hydroxyl factor in shale control, JPT Oct., 1177
improved secondary recovery by control of water mobility, JPT Aug., 911; discussion, JPT Dec., 1430
neutron lifetime, a new nuclear log, JPT Mar., 319
water floods using polymer solutions to increase oil recoveries, JPT Aug., 917
FINGERING: instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
FITCH, R. A. and GRIFFITH, J. D.: *Experimental and Calculated Performance of Miscible Floods in Stratified Reservoirs*, JPT Nov., 1289
FLUID FLOW: calculation of oil displacement by counter-current water imbibition, SPEJ Sept., 195
crossflow and impact under jet bits, JPT Nov., 1299
dead-end pore volume and dispersion in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
directional permeability of heterogeneous anisotropic porous media, SPEJ June, 124; discussion, SPEJ Dec., 363
distribution of oil phase obtained upon imbibition of water, SPEJ Mar., 49
effect of chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231
effect of foam on permeability of porous media to gas, SPEJ Sept., 267
effects of fracturing fluid velocity on fluid-loss agent performance, JPT May, 555
effect of light-gasoline injection on oil recovery by water flooding, JPT Nov., 1307
effect of proximity of permeable and impermeable lenses on well performance, SPEJ Dec., 285
heterogeneous Hele-Shaw models, SPEJ Dec., 307
influence of surface features in salt dissolution process, SPEJ Sept., 275
instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
investigation of miscible displacements of aqueous and oleic phases from porous media, SPEJ Mar., 37
laboratory and field studies of water floods using polymer solutions to increase oil recoveries, JPT Aug., 917
linear: aquifer behavior, JPT May, 561
experimentally determined resistivity profiles in invaded water and oil sands, JPT Mar., 337
linear, transient: integration of partial differential equation for gas-condensate fluids in porous structures, SPEJ Dec., 291
mathematical theory for displacement of oil and water by alcohol, SPEJ, Sept., 250
mechanism: controlled dissolution of salt in solution mining, SPEJ Dec., 317
dissolution of salt in formation of underground salt cavities, SPEJ June, 183
multiple-phase: evaluation of a stabilizer gas lift valve, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
non-Darcy radial gas flow: approximate method, SPEJ June, 96
numerical method: computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171

multidimensional miscible displacement by method of characteristics, SPEJ Mar., 26
prediction: relative permeability characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
waterflood behavior in a stratified system, SPEJ June, 149
waterflood performance for arbitrary well patterns and mobility ratios, JPT Jan., 95
research and engineering application in non-Newtonian fluid systems, SPEJ Mar., 56
role of wettability and interfacial tension in water flooding, SPEJ June, 115
stability considerations in downward miscible displacements; SPEJ Dec., 356
transient pressure behavior in vertically fractured reservoirs, JPT Oct., 1159
turbulent: drag reduction characteristics of solutions of macromolecules in pipe, SPEJ Sept., 203
two-phase vertical: effect of liquid viscosity, JPT Feb., 203

FLUID INJECTION: *See also* Gas and LPG Injection, Miscible Displacement, Thermal Recovery of Oil and Water Flooding

FLUID SATURATION: effect on attenuation of elastic waves in sands, JPT Feb., 189

FOAM: effect on permeability of porous media to gas, SPEJ Sept., 267

FORMATION EVALUATION: dual spacing formation density log, JPT Dec., 1411
factors affecting the responses of Laterolog-type logging systems (LL3 and LL7), JPT Feb., 211

FORMATION FRACTURES: transient pressure behavior in vertically fractured reservoirs, JPT Oct., 1159

FORMATION FRACTURING: application of the influence of chemical composition of water on clay blocking of permeability, JPT Apr., 441
effects of fluid velocity on fluid-loss agent performance, JPT May, 555
fluid mechanics research and engineering application in non-Newtonian fluid systems, SPEJ Mar., 56

FORSYTH, V. L.: *Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187

FRACTURED RESERVOIRS OR FRACTURING: *See* Formation Fractures

FRACTURE: *See* Formation Fractures

FRONTAL ADVANCE EQUATION: applying to vertical segregation reservoirs, JPT Jan., 87

G

GARDER, A. O., JR., et al: *Numerical Calculation of Multidimensional Miscible Displacement by the Method of Characteristics*, SPEJ Mar., 26

GARDNER, G. H. F., et al: *Effects of Pressure and Fluid Saturation on the Attenuation of Elastic Waves in Sands*, JPT Feb., 189

GAS: *See also* Natural Gas

GAS: coning: systematic study by potentiometric models, JPT Aug., 923
use of two-dimensional methods for calculating well behavior, SPEJ Dec., 345
correlation of viscosity of light paraffin hydrocarbons and their mixtures, JPT June, 679
effect of foam on permeability of porous media, SPEJ Sept., 267
hydrocarbon mixtures: gas-phase viscosity, SPEJ Sept., 247

GAS CONDENSATE: *See* Condensate

GAS LIFT: evaluation of a stabilizer charged valve for multiple-phase flow using graphical techniques, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187

GAS RESERVOIRS: rapid methods for estimating compressibilities, JPT Apr., 447

GIDDINGS, J. G. and KOBAYASHI, R.: *Correlation of the Viscosity of Light Paraffin Hydrocarbons and Their Mixtures in the Liquid and Gaseous Regions*, JPT June, 679

GOGARTY, W. B.: *Discussion on Improved Secondary Recovery by Control of Water Mobility*, JPT Dec., 1430

GONDOUIN, M. and HEIM, A.: *Experimentally Determined Resistivity Profiles in Invaded Water and Oil Sands for Linear Flows*, JPT Mar., 337

GRAVITY DRAINAGE: laboratory studies of effects on miscible displacement in vertical unconsolidated porous media, SPEJ Mar., 1

GREENKORN, R. A., et al: *Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ June, 124; discussion, SPEJ Dec., 363
Flow in Heterogeneous Hele-Shaw Models, SPEJ Dec., 307

GRIEVES, R. B. and THODOS, G.: *The Cricondentherm and Cricondenbar Pressures of Multicomponent Hydrocarbon Mixtures*, SPEJ Sept., 240

GRIFFITH, J. D. and FITCH, R. A.: *Experimental and Calculated Performance of Miscible Floods in Stratified Reservoirs*, JPT Nov., 1289

GUICO FIELD: *See* Venezuela

GUYOD, H.: *Factors Affecting the Responses of Laterolog-Type Logging Systems (LL3 and LL7)*, JPT Feb., 211

H

HAGEDORN, A. R. and BROWN, K. E.: *The Effect of Liquid Viscosity in Two-Phase Vertical Flow*, JPT Feb., 203

HALL, C. D., JR., and DOLLARHIDE, F. E.: *Effects of Fracturing Fluid Velocity on Fluid-Loss Agent Performance*, JPT May, 555

HANSFORD, J. E. and LUBINSKI, A.: *Effects of Drilling Vessel Pitch or Roll on Kelly and Drill Pipe Fatigue*, JPT Jan., 77

HARING, R. E., et al: *Flow in Heterogeneous Hele-Shaw Models*, SPEJ Dec., 307

HAUBER, W. C.: *Prediction of Waterflood Performance for Arbitrary Well Patterns and Mobility Ratios*, JPT Jan., 95

HAVLENA, D. and ODEH, A. S.: *The Material Balance as an Equation of a Straight Line—Part II, Field Cases*, JPT July, 815

HEAT: linear wave: vaporization-condensation phenomenon, SPEJ June, 85

HEAT CONDUCTION: simplified model in systems of limited permeability, SPEJ Dec., 335

HEIM, A. and GONDOUIN, M.: *Experimentally Determined Resistivity Profiles in Invaded Water and Oil Sands for Linear Flows*, JPT Mar., 337

HEXYLAMINES effect on chromatographic transport, displacement of oil by water in porous media, SPEJ Sept., 231

HIGGINS, R. V., et al: *Aids to Forecasting the Performance of Water Floods*, JPT Sept., 1076

HOLM, L. W.: *Discussion on A Calculation Method for Carbonated Water Flooding*, SPEJ Mar., 18

HOLM, L. W. and BERNARD, G. G.: *Effect of Foam on Permeability of Porous Media to Gas*, SPEJ Sept., 267

HOPKINSON, E. C., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319

HOWLETT, W. E. and SLOBOD, R. L.: *The Effects of Gravity Segregation in Laboratory Studies of Miscible Displacement in Vertical Unconsolidated Porous Media*, SPEJ Mar., 1

HYDRAULIC JETTING: *See* Abrasive Jetting

HYDROCARBON ANALYSIS: condensate systems by chromatography, JPT Apr., 435

HYDROCARBONS: light: gas-phase viscosity of mixtures, SPEJ Sept., 247
light paraffin and their mixtures: correlation of viscosity in liquid and gaseous regions, JPT June, 679
multicomponent mixtures: cricondentherm and cricondenbar pressures, SPEJ Sept., 240
ternary: prediction of *K*-values for conditions up to critical point, SPEJ Dec., 329

HYDROXYL FACTOR: effect in shale control, JPT Oct., 1177

I

IMBIBITION: water, countercurrent: calculation of oil displacement, SPEJ Sept., 195
water: distribution of oil phase obtained, SPEJ Mar., 49

INJECTION: *See also* Miscible Displacement, Thermal Recovery of Oil and Water Flooding
light-gasoline: effect on oil recovery by water flooding, JPT Nov., 1307

INJECTION WELLS: model studies of inverted nine-spot pattern, JPT July, 801
nine-spot pattern: areal sweepout behavior, JPT Feb., 199

INTERFACIAL TENSION: role in water flooding SPEJ June, 115

IN SITU COMBUSTION: *See* Thermal Recovery of Oil

INVASION: experimentally determined resistivity profiles in water and oil sands for linear flows, JPT Mar., 337

J

JAHNS, H. O., et al: *Flow in Heterogeneous Hele-Shaw Models*, SPEJ Dec., 307

JESSEN, F. W. and DURIE, R. W.: *The Influence of Surface Features in the Salt Dissolution Process*, SPEJ Sept., 275
Mechanism of the Dissolution of Salt in the Formation of Underground Salt Cavities, SPEJ June, 183

JESSEN, F. W. and KAZEMI, H.: *Mechanism of Flow and Controlled Dissolution of Salt in Solution Mining*, SPEJ Dec., 317

JETS: full-scale experiments in impermeable rock drilling, JPT Mar., 329
hydraulic: chip removal by, SPEJ Mar., 21

JETTING: crossflow and impact on bits, JPT Nov., 1299

JOHNSON, C. R., et al: *Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ June, 124; discussion, SPEJ Dec., 363

JOHNSTONE, C. W., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411

JONES, F. O., JR.: *Influence of Chemical Composition of Water on Clay Blocking of Permeability*, JPT Apr., 441

JOSLIN, W. J.: *Applying the Frontal Advance Equation to Vertical Segregation Reservoirs*, JPT Jan., 87

K

KALISH, P. J., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805

KAZEMI, H. and JESSEN, F. W.: *Mechanism of Flow and Controlled Dissolution of Salt in Solution Mining*, SPEJ Dec., 317

KEHN, D. M.: *Rapid Analysis of Condensate Systems by Chromatography*, JPT Apr., 435

KIMBLER, O. K., et al: *Areal Sweepout Behavior in a Nine-Spot Injection Pattern*, JPT Feb., 199

KOBAYASHI, R. and GIDDINGS, J. G.: *Correlation of the Viscosity of Light Paraffin Hydrocarbons And Their Mixtures in the Liquid and Gaseous Regions*, JPT June, 679

L

LABORATORY STUDIES: areal sweepout behavior in a nine-spot injection pattern, JPT Feb., 199
behavior of casing subjected to salt loading, JPT Sept., 1069
chip removal by a hydraulic jet, SPEJ Mar., 21
dead-end pore volume and dispersion in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
directional permeability of heterogeneous anisotropic porous media, SPEJ June, 124; discussion, SPEJ Dec., 363
distribution of oil phase obtained upon imbibition of water, SPEJ Mar., 49
drag reduction characteristics of solutions of macromolecules in turbulent pipe flow, SPEJ Sept., 203
effect of: bacteria on sandstone permeability, JPT July, 805
chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231
foam on permeability of porous media to gas, SPEJ Sept. 267
gravity segregation of miscible displacement in vertical unconsolidated porous media, SPEJ Mar., 1
light-gasoline injection on oil recovery by water flooding, JPT Nov., 1307
pressure and fluid saturation on attenuation of elastic waves in sands, JPT Feb., 189
proximity of permeable and impermeable lenses on well performance, SPEJ Dec., 285
flow in heterogeneous Hele-Shaw models, SPEJ Dec., 307
full-scale experiments on jets in impermeable rock drilling, JPT Mar., 329
gas and water coning by potentiometric models, JPT Aug., 923
improved secondary recovery by control of water mobility, JPT Aug., 911; discussion, JPT Dec., 1430
influence of surface features in salt dissolution process, SPEJ Sept., 275
instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
macroscopic dispersion, SPEJ Sept., 215
mechanism of: dissolution of salt in formation of underground cavities, SPEJ June, 183
flow and controlled dissolution of salt in solution mining, SPEJ Dec., 317
miscible displacements of aqueous and oleic phases from porous media, SPEJ Mar., 37
model of inverted nine-spot injection pattern, JPT July, 801
numerical calculation of multidimensional miscible displacement by method of characteristics, SPEJ Mar., 20
performance of miscible floods in stratified reservoirs, JPT Nov., 1289
physical and thermal properties of frozen soil and ice, SPEJ Mar., 67
prediction of relative permeability characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
rapid analysis of condensate systems by chromatography, JPT Apr., 435
resistivity profiles in invaded water and oil sands for linear flows, JPT Mar., 337
restoration of permeability to water-damaged cores, JPT Dec., 1405
role of wettability and interfacial tension in water flooding, SPEJ June, 115
stability considerations in downward miscible displacements, SPEJ Dec., 356
water floods using polymer solutions to increase oil recoveries, JPT Aug., 917

LATEROLOG: LL3 and LL7: factors affecting the responses, JPT Feb., 211

LEE, A. L. and EAKIN, B. E.: *Gas-Phase Velocity of Hydrocarbon Mixtures*, SPEJ Sept., 247

LEIGHTON, A. J., et al: *Aids to Forecasting the Performance of Water Floods*, JPT Sept., 1076

LINEAR DISPLACEMENT: aquifer behavior, JPT May, 561
integration of partial differential equation for transient flow of gas-condensate fluids in porous structures, SPEJ Dec., 291

LINEAR PROGRAMMING: determination of aquifer influence functions from field data, JPT Dec., 1417

LINE-DRIVE WELL PATTERN: forecasting performance of water floods, JPT Sept., 1076

LIQUIDS: correlation of viscosity of light paraffin hydrocarbons and their mixtures, JPT June, 679

LL 370 RESERVOIR: *See* Venezuela

LOGGING: *See* Well Logging

LOHRENZ, J., et al: *Calculating Viscosities of Reservoir Fluids From Their Compositions*, JPT Oct., 1171

LUBINSKI, A. and HANSFORD, J. E.: *Effects of Drilling Vessel Pitch or Roll on Kelly and Drill Pipe Fatigue*, JPT Jan., 77

LUFFEL, D. L.: *Discussion on A Technique for the Determination of Capillary Pressure Curves Using a Constantly Accelerated Centrifuge*, SPEJ June, 191

M

MALONE, W. T. and MELTON, L. L.: *Fluid Mechanics Research and Engineering Application in Non-Newtonian Fluid Systems*, SPEJ Mar., 56

MATERIAL BALANCE: as an equation of a straight line, Part II, field cases, JPT July, 815

MCCORD, J. R., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417

MCEVER, J. W. and CHEATHAM, J. B., JR.: *Behavior of Casing Subjected to Salt Loading*, JPT Sept., 1069

McLean, R. H.: *Crossflow and Impact Under Jet Bits*, JPT Nov., 1299

Measurement: electrical resistivity: prediction of relative permeability characteristics of intergranular reservoir rocks, JPT May, 564

Melton, L. L. and Malone, W. T.: *Fluid Mechanics Research and Engineering Application in Non-Newtonian Fluid Systems*, SPEJ Mar., 56

Method of characteristics: use in numerical calculation of multi-dimensional miscible displacement, SPEJ Mar., 26

Meyer, W. K. and Taber, J. J.: *Investigation of Miscible Displacement of Aqueous and Oleic Phases From Porous Media*, SPEJ Mar., 37

Michaels, A. S., et al: *Effect of Chromatographic Transport in Hexylamine on Displacement of Oil by Water in Porous Media*, SPEJ Sept., 231

Miesch, E. P. and Crawford, P. B.: *Effect of Proximity of Permeable and Impermeable Lenses on Well Performance*, SPEJ Dec., 285

Mining: salt solution: mechanism of flow and controlled dissolution, SPEJ Dec., 317

Miscible displacement: aqueous and oleic phases from porous media, investigation of, SPEJ Mar., 37
experimental and calculated performance in stratified reservoirs, JPT Nov., 1289
experimental computations based on "Monte Carlo" model, SPEJ Sept., 215
laboratory studies of effect of gravity segregation in vertical unconsolidated sand, SPEJ Mar., 1
multidimensional: numerical calculation by method of characteristics, SPEJ Mar., 26
stability considerations in downward direction, SPEJ Dec., 356

Mixtures: hydrocarbons: light: gas-phase viscosity, SPEJ Sept., 247
multicomponent: cricondentherm and cricondenbar pressures, SPEJ Sept., 240
ternary: prediction of *K*-values for conditions up to critical point, SPEJ Dec., 329

Mobility ratio: arbitrary values: prediction of waterflood performance, JPT Jan., 95
control: improving secondary recovery by, JPT Aug., 911; discussion, JPT Dec., 1430
effect on areal sweepout behavior in a nine-spot injection pattern, JPT Feb., 199
model studies of inverted nine-spot injection pattern, JPT July, 801
use in numerical method for computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171

Models: casing: behavior of casing subjected to salt loading, JPT Sept., 1069
electrical resistivity and thermal: effect of proximity of permeable and impermeable lenses on well performance, SPEJ Dec., 285
flow and mathematical: dead-end pore volume and dispersion in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
full scale: experimentally determined resistivity profiles in invaded water and oil sands for linear flows, JPT Mar., 337
general: predicting waterflood behavior in a stratified system, SPEJ June, 149
Hele-Shaw: flow in heterogeneous type, SPEJ Dec., 307
linear and non-linear: laboratory studies of water floods using polymer solutions to increase oil recoveries, JPT Aug., 917
mathematical: performance of miscible floods in stratified reservoirs, JPT Nov., 1289
mathematical, one-dimensional linear: vaporization-condensation phenomenon in linear heat wave, SPEJ June, 85
mathematical and sand-packed: numerical calculation of multidimensional miscible displacement by method of characteristics, SPEJ Mar., 26
Monte Carlo: use in macroscopic dispersion, SPEJ Sept., 215
packed, glass tubes: stability considerations in downward miscible displacements, SPEJ Dec., 356
porous plate: studies of inverted nine-spot injection pattern, JPT July, 801
potentiometric: systematic study of gas and water coning, JPT Aug., 923
sandpacked, flow: areal sweepout behavior in a nine-spot injection pattern, JPT Feb., 199
simplified, mathematical: conduction heating in systems of limited permeability, SPEJ Dec., 335
spherical: for study of mechanism of flow and controlled dissolution of salt in solution mining, SPEJ Dec., 317
unconsolidated sand bed and glass grid: effect of chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231

Mungan, N.: *Role of Wettability and Interfacial Tension in Water Flooding*, SPEJ June, 115

N

Nabor, G. W. and Barham, R. H.: *Linear Aquifer Behavior*, JPT May, 561

Natural gas: *See also* Gas
approximate method for non-Darcy radial flow, SPEJ June, 96
mechanism of dissolution of salt in formation of cavities, SPEJ June, 183

Nettle, R. L., et al: *Prediction of Relative Permeability Characteristics of Intergranular Reservoir Rocks from Electrical Resistivity Measurements*, JPT May, 564

Neutron lifetime log: a new nuclear log, JPT Mar., 319

Non-Newtonian systems: fluid mechanics research and engineering application, SPEJ Mar., 56

Nuclear logging: neutron lifetime log, JPT Mar., 319

Numerical solution: calculation of oil displacement by counter-current water imbibition, SPEJ Sept., 195
computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171
displacement of oil and water by alcohol, SPEJ Sept., 250
integration of partial differential equation for transient linear flow of gas-condensate fluids in porous structures, SPEJ Dec., 291
performance of miscible floods in stratified reservoirs, JPT Nov., 1289
simplified model of conduction heating in systems of limited permeability, SPEJ Dec., 335
transient pressure behavior in vertically fractured reservoirs, JPT Oct., 1159
use of two-dimensional methods for calculating well coning behavior, SPEJ Dec., 345
viscosities of reservoir fluids from their compositions, JPT Oct., 1171

O

Odeh, A. S. and Havlena, D.: *The Material Balance as an Equation of a Straight Line—Part II, Field Cases*, JPT July, 815

Offshore drilling: effects of drilling vessel pitch or roll on kelly and drill pipe fatigue, JPT Jan., 77

Oil recovery: applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
laboratory and field studies of water floods using polymer solutions to increase, JPT Aug., 917
use of fluid-fluid interfaces to predict behavior of processes, SPEJ June, 171
water flooding: effect of light-gasoline injection, JPT Nov., 1307

Oil reservoir: rapid methods for estimating compressibilities, JPT Apr., 447

Oil wells: cementing geothermal wells, JPT Dec., 1425
use of two-dimensional methods for calculating coning behavior, SPEJ Dec., 345

Oscurote, North: *See* Venezuela

Oshry, H. I., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319

Ostroot, G. W. and Shryock, S., Jr.: *Cementing Geothermal Steam Wells*, JPT Dec., 1425

P

Parsons, R. W.: *Discussion on Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ Dec., 363

PEACEMAN, D. W., et al: *Numerical Calculation of Multidimensional Miscible Displacement by the Method of Characteristics*, SPEJ Mar., 26

PERFORMANCE PREDICTIONS: aids to forecasting water floods, JPT Sept., 1076
applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
arbitrary well patterns and mobility ratios in water flood, JPT Jan., 95
carbonated water flooding, calculation method for, SPEJ Mar., 9; discussion, 18
material balance as an equation of a straight line, Part II, field cases, JPT July, 815
miscible floods: stratified reservoirs, JPT Nov., 1289
oil recovery processes: use of fluid-fluid interfaces, SPEJ June, 171
water flooding: behavior in a stratified system, SPEJ June, 149

PERMEABILITY: directional: heterogeneous anisotropic porous media, SPEJ June, 124; discussion, SPEJ Dec., 363
effect of: bacteria on sandstone cores, JPT July, 805
proximity of lenses on well performance, SPEJ Dec., 285
influence of chemical composition of water on clay blocking, JPT Apr., 441
limited: simplified model of conduction heating, SPEJ Dec., 335
porous media to gas: effect of foam, SPEJ Sept., 267
relative: prediction of characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
restoration of water-damaged cores, JPT Dec., 1405
stratified: experimental and calculated performance of miscible floods, JPT Nov., 1289
prediction of waterflood behavior, SPEJ June, 149

PHYSICAL PROPERTIES: frozen soil and ice, SPEJ Mar., 67

PIPE: drag reduction characteristics of solutions of macromolecules in turbulent flow, SPEJ Sept., 203
drill, fatigue: effects of drilling vessel pitch or roll, JPT Jan., 77

PIRSON, S. J., et al: *Prediction of Relative Permeability Characteristics of Intergranular Reservoir Rocks from Electrical Resistivity Measurements*, JPT May, 564

PIZZI, G., et al: *A Systematic Study of Gas and Water Coning by Potentiometric Models*, JPT Aug., 923

POLYMERS: laboratory and field studies of water floods using solutions to increase oil recoveries, JPT Aug., 917

PORE VOLUME: dead-end: in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282

POROUS MEDIA: *See also* Reservoir Rocks
anisotropic, heterogeneous: directional permeability, SPEJ June, 124; discussion, SPEJ Dec., 363
approximate method for non-Darcy radial gas flow, SPEJ June, 96
calculation of oil displacement by counter-current water imbibition, SPEJ Sept., 195
dead-end pore volume and dispersion, SPEJ Mar., 73; discussion, SPEJ Sept., 282
distribution of oil phase obtained upon imbibition of water, SPEJ Mar., 49
effect of: chromatographic transport in hexylamine on displacement of oil by water, SPEJ Sept., 231
foam on permeability to gas, SPEJ Sept., 267
gravity segregation in laboratory studies of miscible displacement in vertical unconsolidated sand, SPEJ Mar., 1
flow in heterogeneous Hele-Shaw models, SPEJ Dec., 307
instability in water flooding oil from reservoir containing connate water, SPEJ June, 133
integration of partial differential equation for transient linear flow of gas-condensate fluids, SPEJ Dec., 291
investigation of miscible displacement of aqueous and oleic phases, SPEJ Mar., 37
macroscopic dispersion, SPEJ Sept., 215
mathematical theory for displacement of oil and water by alcohol, SPEJ Sept., 250
numerical method for computing dynamical behavior of fluid-fluid interfaces, SPEJ June, 158
vaporization-condensation phenomenon in a linear heat wave, SPEJ June, 85

PORTER, M. C., et al: *Effect of Chromatographic Transport in Hexylamine on Displacement of Oil by Water in Porous Media*, SPEJ Sept., 231

POZZI, A. L., JR., et al: *Numerical Calculation of Multidimensional Miscible Displacement by the Method of Characteristics*, SPEJ Mar., 26

PRESSURE BEHAVIOR: cricondenbar of multicomponent hydrocarbon mixtures. SPEJ Sept., 240
transient: vertically fractured reservoirs, JPT Oct., 1159

PRESSURE BUILD-UP ANALYSIS: use in rapid methods for estimating reservoir compressibilities, JPT Apr., 447

PRESSURE GRADIENTS: effect of liquid viscosity in continuous two-phase flow in vertical conduits, JPT Feb., 203

PRESSURE MAINTENANCE: *See* Miscible Displacement, Thermal Recovery of Oil and Water Flooding

PYE, D. J.: *Improved Secondary Recovery by Control of Water Mobility*, JPT Aug., 911; discussion, JPT Dec., 1430

R

RACHFORD, H. H., JR.: *Instability in Water Flooding Oil from Water-Wet Porous Media Containing Connate Water*, SPEJ June, 133

RAIMONDI, P. and TORCASO, M. A.: *Distribution of the Oil Phase Obtained Upon Imbibition of Water*, SPEJ Mar., 49

RAMEY, H. J., JR.: *Rapid Methods for Estimating Reservoir Compressibilities*, JPT Apr., 447

RAPOPORT, L. A., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417

RELATIVE PERMEABILITY: prediction of characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564

RESERVOIR FLUIDS: calculating viscosities from compositions, JPT Oct., 1171

RESERVOIR ROCKS: *See also* Porous Media
full-scale experiments on jets in impermeable rock drilling, JPT Mar., 329
intergranular: prediction of relative permeability characteristics from electrical resistivity measurements, JPT May, 564

RESERVOIRS: *See also* type, such as, Bottom-Water Drive, Gravity Drainage, Solution-Gas Drive, Water Drive and Gas-Cap Drive and specific names
gas and oil: rapid methods for estimating compressibilities, JPT Apr., 447
stratified: experimental and calculated performance of miscible floods, JPT Nov., 1289
vertically fractured: transient pressure behavior, JPT Oct., 1159
vertical segregation: applying frontal advance equation, JPT Jan., 87

RESISTIVITY: electrical measurements: prediction of relative permeability characteristics of intergranular reservoir rocks, JPT May, 564
experimentally determined profiles in invaded water and oil sands for linear flows, JPT Mar., 337

REVERSE COMBUSTION: *See* Thermal Recovery of Oil

RHEOLOGY: fluid mechanics research and engineering application in non-Newtonian fluid systems, SPEJ Mar., 56

ROGERS, W. F., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805

ROSE, W.: *Discussion on Dead-End Pore Volume and Dispersion in Porous Media*, SPEJ Sept., 282

ROWAN, G. and CLEGG, M. W.: *An Approximate Method for Non-Darcy Radial Gas Flow*, SPEJ June, 96

RUSSELL, D. G. and TRUITT, N. E.: *Transient Pressure Behavior in Vertically Fractured Reservoirs*, JPT Oct., 1159

S

SALT: behavior of casing when subjected to loading, JPT Sept., 1069
dissolution process: influence of surface features, SPEJ Sept., 275
mechanism of: dissolution in formation of underground cavities, SPEJ June, 183
flow and controlled dissolution in solution mining, SPEJ Dec., 317

SAN JOAQUIN VALLEY: *see* California

SANDIFORD, B. B.: *Laboratory and Field Studies of Water Floods Using Polymer Solutions to Increase Oil Reserves*, JPT Aug., 917

SANDS: effect of pressure and fluid saturation on attenuation of elastic waves, JPT Feb., 189
invaded water and oil: experimentally determined resistivity profiles for linear flows, JPT Mar., 337
SANDSTONES: effect of bacteria on permeability, JPT July, 805
SAVINS, J. G.: *Drag Reduction Characteristics of Solutions of Macromolecules In Turbulent Pipe Flow*, SPEJ Sept., 203
SECONDARY RECOVERY: *See also* Miscible Displacement, Thermal Recovery of Oil and Water Flooding
improving by control of water mobility, JPT Aug., 911; discussion, JPT Dec., 1430
SHALLENBERGER, L. K., et al: *Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ June, 124; discussion, SPEJ Dec., 363
Flow in Heterogeneous Hele-Shaw Models, SPEJ Dec., 307
SHELDON, J. W. and DOUGHERTY, E. L.: *A Numerical Method for Computing the Dynamical Behavior of Fluid-Fluid Interfaces in Permeable Media*, SPEJ June, 158
The Use of Fluid-Fluid Interfaces to Predict the Behavior of Oil Recovery Processes, SPEJ June, 171
SHRYOCK, S., Jr. and OSTROOT, G. W.: *Cementing Geothermal Steam Wells*, JPT Dec., 1425
SILBERBERG, I. H., et al: *Model Studies of the Inverted Nine-Spot Injection Pattern*, JPT July, 801
SKIBA, F. F., and WARREN, J. E.: *Macroscopic Dispersion*, SPEJ Sept., 215
SLOBOD, R. L. and HOWLETT, W. E.: *The Effect of Gravity Segregation in Laboratory Studies of Miscible Displacement in Vertical Unconsolidated Porous Media*, SPEJ Mar., 1
SLUG PROCESS: *See* Miscible Displacement
SMIALEK, R. J. and THODOS, G.: *Prediction of K-Values for Ternary Hydrocarbon Systems: Conditions up to the Critical Point*, SPEJ Dec., 329
SMITH, B. D. and COATS, K. H.: *Dead-End Pore Volume and Dispersion in Porous Media*, SPEJ Mar., 73; discussion, SPEJ Sept., 282
SOLVENT FLOODING: use of fluid-fluid interfaces to predict behavior, SPEJ June, 171
SONIC LOGGING: *See* Acoustic Velocity Logging
SPACING: dual: formation density log, JPT Dec., 1411
STABILITY: considerations in downward miscible displacements, SPEJ Dec., 356
STANCELL, A., et al: *Effect of Chromatographic Transport in Hexylamine on Displacement of Oil by Water in Porous Media*, SPEJ Sept., 231
STEAM INJECTION: *See* Thermal Recovery of Oil
STEWART, J. A., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805
STORAGE: underground: mechanism of dissolution of salt in formation of salt cavities, SPEJ June, 183
physical and thermal properties of frozen soil and ice, SPEJ Mar., 67
STRAIGHT-LINE METHOD: applied to material balance equation, Part II, field cases, JPT July, 815
STRATIFICATION: *See* Permeability: stratified
SWEEP EFFICIENCY: model studies of inverted nine-spot injection pattern, JPT July, 801
prediction of waterflood performance for arbitrary well patterns and mobility ratios, JPT Jan., 95

T

TABER, J. J. and MEYER, W. K.: *Investigations of Miscible Displacements of Aqueous and Oleic Phases From Porous Media*, SPEJ Mar., 37
TEMPERATURE: cementing geothermal steam wells, JPT Dec., 1425
cricondentherm of multicomponent hydrocarbon mixtures, SPEJ Sept., 240
profiles: vaporization-condensation phenomenon in a linear heat wave, SPEJ June, 85
TESTING: gas wells: approximate method for non-Darcy radial gas flow, SPEJ June, 96
THERMAL PROPERTIES: frozen soil and ice, SPEJ Mar., 67
THERMAL RECOVERY OF OIL: use of fluid-fluid interfaces to predict behavior, SPEJ June, 171
vaporization-condensation phenomenon in a linear heat wave, SPEJ June, 85
THIEME, J. O. and WOLFE, L. H.: *Physical and Thermal Properties of Frozen Soil and Ice*, SPEJ Mar., 67
THODOS, G. and GRIEVES, R. B.: *The Cricondentherm and Cricondenbar Pressures of Multicomponent Hydrocarbon Mixtures*, SPEJ Sept., 240
THODOS, G. and SMIALEK, R. J.: *Prediction of K-Values For Ternary Hydrocarbon Systems: Conditions Up To the Critical Point*, SPEJ Dec., 329
THOMAS, G. W.: *Simplified Model of Conduction Heating in Systems of Limited Permeability*, SPEJ Dec., 335
TITTMAN, J., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411
TORCASO, M. A. and RAIMONDI, P.: *Distribution of the Oil Phase Obtained Upon Imbibition of Water*, SPEJ Mar., 49
TRANSIENT FLOW: linear: aquifer behavior, JPT May, 561
integration of partial differential equation for gas-condensate fluids in porous structures, SPEJ Dec., 291
TRANSIENTS: pressure behavior in vertically fractured reservoirs, JPT Oct., 1159
TRUITT, N. E. and RUSSELL, D. G.: *Transient Pressure Behavior in Vertically Fractured Reservoirs*, JPT Oct., 1159

U

UNDERGROUND COMBUSTION: *See* Thermal Recovery of Oil
UNDERGROUND STORAGE: mechanism of dissolution of salt in formation of cavities, SPEJ June, 183
physical and thermal properties of frozen soil and ice, SPEJ Mar., 67
UNDERSATURATED RESERVOIRS: applying material balance as equation of straight line, Part II, field cases, JPT July, 815

V

VALUATIONS: *See* Evaluation
VAN LEEUWEN, J. J. M. and FEENSTRA, R.: *Full-Scale Experiments on Jets in Impermeable Rock Drilling*, JPT Mar., 329
VELOCITY: effects of pressure and fluid saturation of elastic waves in sands, JPT Feb., 189
VELOCITY LOGGING: *See* Acoustic Velocity Logging
VENEZUELA: Guico field: application of material balance as equation of straight line, JPT July, 815
LL 370 reservoir: applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
Oscurote, North: application of material balance as equation of straight line, JPT July, 815
VIRGINIA HILLS RESERVOIR: *See* Canada
VISCOSITY: calculating for reservoir fluids from their compositions, JPT Oct., 1171
correlation of light paraffin hydrocarbons and their mixtures in liquid and gaseous regions, JPT June, 679
gas-phase: hydrocarbon mixtures, SPEJ Sept., 247
liquid: effect in two-phase vertical flow, JPT Feb., 203

W

WACHMANN, C.: *A Mathematical Theory for the Displacement of Oil and Water by Alcohol*, SPEJ Sept., 250
WAHL, J. S., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411
WARREN, J. E. and COSGROVE, J. J.: *Prediction of Waterflood Behavior in a Stratified System*, SPEJ June, 149
WARREN, J. E. and SKIBA, F. F.: *Macroscopic Dispersion*, SPEJ Sept., 215
WATER: coning: systematic study by potentiometric models, JPT Aug., 923
use of two-dimensional methods for calculating well behavior, SPEJ Dec., 345
connate: instability in water flooding oil from water-wet porous media, SPEJ June, 133
improved secondary recovery by control of mobility, JPT Aug., 911; discussion, JPT, 1430
influence of chemical composition on clay blocking of permeability, JPT Apr., 441

restoration of permeability to damaged cores, JPT Dec., 1405

WATER DRIVE: applying material balance as an equation of straight line, Part II, field cases, JPT July, 815

WATER FLOODING: aids to forecasting performance, JPT Sept., 1076
carbonated: calculation method for, SPEJ Mar., 9; discussion, 18
effect of: bacteria on sandstone permeability, JPT July, 805
light-gasoline injection on oil recovery, JPT Nov., 1307
influence of chemical composition of water on clay blocking of permeability, JPT Apr., 441
instability when flooding oil from water-wet porous media containing connate water, SPEJ June, 133
laboratory and field studies using polymer solutions to increase oil recoveries, JPT Aug., 917
prediction of: behavior in a stratified system, SPEJ June, 149
performance for arbitrary well patterns and mobility ratios, JPT Jan., 95
role of wettability and interfacial tension, SPEJ June, 115
use of: fluid-fluid interfaces to predict behavior, SPEJ June, 171

WATER INFLUX: determination of aquifer influence functions from field data, JPT Dec., 1417
linear aquifer behavior, JPT May, 561

WATER INJECTION: *See* Water Flooding

WATSON, R. E., et al: *Model Studies of the Inverted Nine-Spot Injection Pattern*, JPT July, 801

WELGE, H. J.: *Use of Two-Dimensional Methods for Calculating Well Coning Behavior*, SPEJ Dec., 345

WELL LOGGING: dual spacing formation density log, JPT Dec., 1411
effects of pressure and fluid saturation on attenuation of elastic waves in sands, JPT Feb., 189
experimentally determined resistivity profiles in invaded water and oil sands for linear flows, JPT Mar., 337
factors affecting the responses of Laterolog-type systems (LL3 and LL7), JPT Feb., 211
neutron lifetime, a new nuclear log, JPT Mar., 319

WELL PATTERN: aids to forecasting performance of water floods, JPT Sept., 1076
injection: model studies of inverted nine-spot, JPT July, 801
prediction of waterflood performance for arbitrary arrays, JPT Jan., 95

WELL PERFORMANCE: effect of proximity of permeable and impermeable lenses, SPEJ Dec., 285
evaluation of a stabilizer charged gas lift valve for multiple-phase flow using graphical techniques, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
use of two-dimensional methods for calculating coming behavior, SPEJ Dec., 345

WETTABILITY: role in water flooding, SPEJ June, 115

WETTING AGENT: reverse: effect of chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231

WHITE, G. W.: *Discussion on Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT Oct., 1188

WHITTEMORE, E. P.: *Discussion on Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT Oct., 1187

WIESENTHAL, R.: *The Effect of Light-Gasoline Injection on Oil Recovery by Water Flooding*, JPT Nov., 1307

WINKLER, H. W.: *Discussion on Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT June, 698

WOLFE, L. H. and THIEME, J. O.: *Physical and Thermal Properties of Frozen Soil and Ice*, SPEJ Mar., 67

WYLLIE, M. R. J., et al: *Effects of Pressure and Fluid Saturation on the Attenuation of Elastic Waves in Sand*, JPT Feb., 189

Y

YARBOROUGH, J. G. and CHEATHAM, J. B., JR.: *Chip Removal by a Hydraulic Jet*, SPEJ Mar., 21

YOUMANS, A. H., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319

Editor's Note: For economy of space, the abbreviation "SPEJ" is used in this index. The official abbreviation for the publication is "Soc. Pet. Eng. Jour." and we urge that it be used in references instead of this more abbreviated form.